



Melbourne Interventional Pulmonology Group Pty Ltd

Lung Function Request

Bookings: 03 7036 7348**Fax: 03 8372 0587**lungfunction@nickwilsmore.com.au**Patient Details****Name:****DOB:** **Contact No:****Address:****Referring Doctor****Name:****Address:****Provider No.:** **Date:****Signature:****Investigation Required****Available at Box Hill and Lilydale:**

- 1 Spirometry + FeNO - Asthma, Chronic cough, Dyspnoea
- 2 Spirometry + TLCO - COPD, Chronic cough, ILD, Smoking Hx, Dyspnoea, Pre-op

Available at Box Hill Only:

- 3 Spirometry + Lung Volumes - Restriction, Neuromuscular Dx, Diaphragm, Post-op, Gas trapping/Severe COPD
- 4 Bronchial Provocation - Asthma investigation (Mannitol – fee applies)
- 5 Spirometry + MIP/MEP - Muscle weakness, MND, other neuromuscular disorders

Copy of Report to**Name:****Address:****Name:****Address:****Clinical Notes****Withhold current inhaler medication** **Appointment Details****Date:** **Time:****Locations**

- Suite 11.1, Level 11, Epworth Eastern Tower 25 Nelson Rd, Box Hill 3128
- 4/355 Main St, Lilydale VIC 3140

Please see reverse for Patient Instructions.

Patient Instructions

PLEASE BRING THIS REFERRAL WITH YOU TO YOUR TEST

BEFORE ALL TESTS

NO Smoking

BEFORE BRONCHOPROVOCATIONS TESTS

As above, plus:

- **NO** tea, coffee, chocolate or caffeinated drinks to be consumed on the test day.
- **NO** oral steroids such as Prednisolone, Prednisone or Dexamethasone for 3 days - if advised/approved by your prescribing doctor.
- **NO** Antihistamines such as Dimetapp, Benadryl, Claratyne, Zyrtec or Telfast for 3 days.

We prefer you not to take any puffers (unless otherwise instructed)

- **8 hours** for Ventolins
- **12 hours** for ICS Alvesco Flixotide
- **24 hours** Seretide Symbicort
- **72 hours** Spiriva etc
- **4 days** for montelukast

BEFORE FeNO TESTS

- **NO** food or drink for one hour before your test
- **AVOID** consuming any foods high in nitrogen on the day of the test including ham, bacon, salami, strawberries, currants, raspberries, cherries, gooseberries, spinach, lettuce, beetroot, celery, chervil radish and turnip tops.

**IF YOU ARE MORE BREATHLESS THAN USUAL AFTER
STOPPING THE ABOVE MEDICATIONS, PLEASE CONTACT
YOUR DOCTOR AND RESUME TAKING THE MEDICATIONS.**

*Please note: Fees may apply for Mannitol Kits, single CO assessments and multiple test appointments.